Table 1. Number, median days, incidence rate¹ and relative standard errors of nonfatal occupational injuries and illnesses with days away from work² involving musculoskeletal disorders³ by selected natures of injury or illness, Connecticut, 2000

| | Nature | Number | Median days away from work | Incidence rate | Relative standard error |
|-------|---|--------|----------------------------------|-------------------|-------------------------------|
| Total | | 9,840 | 5 | 79.3 | 4.5 |
| 02 | Traumatic injuries to muscles, tendons, ligaments, joints, etc. | 7,142 | 5 | 57.6 | 4.7 |
| 021 | Sprains, strains, tears | 7,142 | 5 | 57.6 | 4.7 |
| 09 | Other traumatic injuries and disorders | 1,127 | 7 | 9.1 | 7.2 |
| 097 | Nonspecified injuries and disorders | 1,127 | 7 | 9.1 | 7.2 |
| 0972 | Back pain, hurt back | 643 | 5 | 5.2 | 8.8 |
| 0973 | Soreness, pain, hurt, except the back | 484 | 8 | 3.9 | 9.9 |
| 12 | Nervous system and sense organs diseases | 615 | 20 | 5.0 | 9.0 |
| 124 | Disorders of the peripheral nervous system | 615 | 20 | 5.0 | 9.0 |
| 1241 | Carpal tunnel syndrome | 615 | 20 | 5.0 | 9.0 |
| 15 | Digestive system diseases and disorders | 499 | 27 | 4.0 | 9.8 |
| 153 | Hernia | 499 | 27 | 4.0 | 9.8 |
| 1530 | Hernia, unspecified | 261 | 31 | 2.1 | 12.9 |
| 1531 | Inguinal hernia | 209 | 20 | 1.7 | 14.3 |
| 1532 | Hiatal hernia | 20 | 19 | 0.2 | 45.1 |
| 1533 | Ventral hernia | | | | |
| 1539 | Hernia, n.e.c. | | | | |
| 17 | Musculoskeletal system and connective tissue diseases and disorders | 458 | 9 | 3.7 | 10.1 |
| 171 | Arthropathies and related disorders (arthritis) | | | | |
| 172 | Dorsopathies | | | | |
| 1721 | Sciatica | | | | |
| 1729 | Dorsopathies, n.e.c. | | | | |
| 173 | Rheumatism, except the back | 445 | 8 | 3.6 | 10.2 |
| 1730 | Rheumatism, except the back, unspecified | 18 | 44 | 0.1 | 47.0 |
| 1731 | Bursitis | | | | |
| 1733 | Tendonitis | 300 | 9 | 2.4 | 12.1 |
| 1734 | Tenosynovitis | 11 | 3 | 0.1 | 58.8 |
| 1735 | Ganglion/cystic tumor | 85 | 7 | 0.7 | 21.9 |
| 1739 | Rheumatism, except the back, n.e.c. | | | | |
| 174 | Osteopathies, chondropathies, acquired deformities | | | | |
| 1740 | Osteopathies, chondropathies, acquired deformities, unspecified | | | | |
| L . | saidenee rates represent the number of injuries and illnesses per 10,000 full tir | | | | |

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N / EH) X 20,000,000 where,

N = number of injuries and illnesses,

EH = total hours worked by all employees during the calendar year,

20,000,000 = base for 10,000 full-time equivalent workers (working 40 hours per week, 50 weeks per year).

NOTE: Dashes indicate data that do not meet publication guidelines or data for incidence rates less than .05 per 10,000 full-time workers. The scientifically selected probability sample used was one of many possible samples, each of which could have produced different estimates. A measure of sampling variability for each estimate is available upon request.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, July 15, 2003

² Days away from work include those which result in days away from work with or without restricted work activity.

³ Includes cases where the nature of injury is: sprains, strains, tears; back pain, hurt back; soreness, pain, hurt, except back; carpal tunnel syndrome; hernia; or musculoskeletal system and connective tissue diseases and disorders and when the event or exposure leading to the injury or illness is: bodily reaction/bending, climbing, crawling, reaching, twisting; overexertion; or repetition. Cases of Raynaud's phenomenon, tarsal tunnel syndrome, and herniated spinal discs are not included. Although these cases may be considered MSD's, the survey classifies these cases in categories that also include non-MSD cases.